


206080" 4ST9800T



COPY OF PAPERS
ORIGINALLY FILED

1/18

LAMOTRIGINE FORM B



206080" 45T9800T



COPY OF PAPERS
ORIGINALLY FILED

2/18

LAMOTRIGINE FORM C STEP: 0.050° CNT TIME: 1.000 SEC.
RANGE: 2.00 - 40.00 (DEG) CONT. SCAN RATE: 3.00 DEG/MIN.




FIG. 2




COPY OF PAPERS
ORIGINALLY FILED

3/18

206080" 2ST98001

LAMOTRIGINE FORM D






COPY OF PAPERS
ORIGINALLY FILED

4/18

206080" EST9800T





COPY OF PAPERS
ORIGINALLY FILED

5/18

206080" 45T98001

LAMOTRIGINE FORM E1





FIG. 5

206080" 25198001



COPY OF PAPERS
ORIGINALLY FILED

6/18



206080" 25T9800T



COPY OF P
ORIGINALLY FILED

7/18




FIG. 7

[°2θ]

206080" 25F9800T



COPY OF PAPER
ORIGINALLY FILED

8/18

LAMOTRIGINE FORM J





FIG. 8

206080" 2ST9800T



COPY OF PAGES
ORIGINALLY FILED

9/18






COPY OF PAPERS
ORIGINAL FILED

10/18

206030" 25F98001


LAMOTRIGINE FORM L





11/18


206080" 15F98001





12/18

206080" 25T9800T



206080" 25T3B00T



13/18





FIG. 13

206080" 25T9800T



14/18





15/18

206080" 25T9800T

LAMOTRIGINE FORM Q





FIG. 15



16/18

206080" 25F98001"

LAMOTRIGINE FORM R



206080" 45F9800T



17/18

LAMOTRIGINE FORM S




FIG. 17

206030" 25F9800F



18/18

LAMOTRIGINE FORM U




FIG. 18